



TECHNICAL DATA SHEET

PAINT FOR PLASTIC AND BUMPER

Article number: 26314 (Grey), 26334 (Black)

Intended use: Car refinishing Product/ Preparation

General characteristics: High quality bumper spray to repair and embellish plastic bumpers, maintaining the original bumper structure.

Product characteristics:

- Excelent coverage
- Lasting colour and lasting gloss
- Scratch free and shock proof
- Resistant to chemicals and weather influences
- Excellent adhesion
- Maintains the original structure of the bumper

Physical and Chemical

Contents
Base
VOC-content
Solid content
Gloss
Coverage
Dust dry
Tack free
Hardened/resprayable
Heat resistant

Characteristics

400 ml
Alkyd resin
Approximately 84% w/w
Approximately 16% w/w
Satin matt
Two bumpers
After 20 to 30 minutes
After 1 hour
After 24 hours
To 110 °C

Usage:

Before use, carefully read the directions on the packaging and act accordingly.

Pre Treatment:

The surface should be clean, dry and free of grease.



CHAM'ALEON GMBH / RUDOLF-DIESEL-STRASSE 8A / 69115 HEIDELBERG / GERMANY

CHAM'ALEON GMBH
RUDOLF-DIESEL-STRASSE 8A
69115 HEIDELBERG
GERMANY

FON 0049 (0) 6221 - 520 440
FAX 0049 (0) 6221 - 520 449
MAIL INFO@CHAMAELEON-PRODUKTION.DE
WEB WWW.CHAMAELEON-PRODUKTION.DE

Treatment:

The aerosol should have room temperature. Best processing temperature 15 to 25°C. Before use, shake the aerosol for 2 minutes and spray a sample. Distance to the surface to be treated approximately 25 to 30 centimetre.

Apply the bumper spray in several thin layers, till the desired result has been achieved. Before applying the next layer, again shake the aerosol.

After use:

After use, clean the valve (turn aerosol upside down and press the nozzle for approximately 5 seconds).

The drying time depends on the ambient temperature, the humidity of the air and the thickness of the lacquer applied.

This release replaces all eventually earlier issued versions.

For additional information, not contained in this Technical Data Sheet, please contact the supplier via:
info@chamaeleon-produktion.de

For safety information, please refer to the corresponding Safety Data Sheet.