
CHAMALEON

#PROFESSIONALSOLUTIONS

AEROSOLS





2K CLEAR COAT PREMIUM

art. 11012

∃ 200 ml

art. 11013

⋽ 500 ml

6 pcs

- Perfectly suitable for spot repair and fast painting of car body elements
- Is mixed with hardener inside the can
- Provides a scratch-proof coating with an excellent gloss
- Protects against rust, weathering influences and UV-rays
- Fast drying



1K EPOXY PRIMER

art. 26032

૩ 400 ml

f 6 pcs

- Excellent adhesion and corrosion protection for steel, galvanized steel, aluminium and fiberglass
- Wet-on-wet application possible
- Fast drying
- Good flow
- Simple, time-saving application
- · Good insulation against moisture





1K WASH PRIMER

art. 26022

∃ 400 ml

6 pcs

- Excellent adhesion to blank grounded metal
- Weldable
- Fast drying
- Active rust protection pigments guarantee best possible rust protection



2K PRIMER FILLER PREMIUM

art. 14012

∃ 200 ml

- Used on steel, galvanized steel and aluminum surfaces
- · Protects against rust
- Mixing with hardener inside the can
- · Good adhesive properties
- Easy wet and dry sanding
- · Resistant to solvents



EXPRESS FILL-PRIMER



art. 26043

CHAMALEON

EPOXY

PRIMER

3 500 ml

♠ 6 pcs

- Fast drying
- · Excellent corrosion protection
- Very good filling properties
- Overcoatable with all common water- and solvent-based 1K and 2K topcoat systems
- Suitable for spot repairs or as high-build filler



PRIMER

art. 26004

art. 26002

O art. 26003

+ **art. 26005**

3 500 ml

6 pcs

NEW ARTICLES

 Used for quality spot repair

Guarantees high-grade adhesion to metals and plastics

• Easy to apply

Fast drying

Easy treatment

· Professional result



2K EPOXY PRIMER



art. 14013

૩ 200 ml

- Excellent adhesion and corrosion protection for steel, galvanized steel and aluminium
- · Good insulation against moisture
- Very good flow, wet-on-wet application possible
- Fast drying time
- Easy to sand wet or dry
- Solvent resistant
- Once dry, can be overcoated with polyester products
- Can be overpainted with water- and solvent based paints and 1K and 2K topcoats





PLASTIC FILLING PRIMER



art. 26015

૩ 400 ml

- Fast-drying plastic primer
- Excellent filling properties
- For use on PP-EPDM, ABS, PC, ABS-PC, PMMA, PA, PUR, PVC, GRP plastics
- Recoatable with 1K and 2K topcoats.



PLASTIC PRIMER

art. 26014

∃ 400 ml

6 pcs

SUITABLE FOR DIY

- High quality, fast drying plastic primer for treated and untreated surfaces of several types of plastic
- Very good adhesion to all plastic parts such as bumpers, tuning parts and mirror caps
- Re-sprayable with all lacquer systems
- Fast drying



THICK LAYER FILLER



- art. 26040
- art. 26041
- art. 26042
 - **₫** 400 ml
 - **6** pcs
- Used for leveling out superficial scratches and minor irregularities in sanded surfaces
- Excellent filling properties and coverage
- Wet-on-wet application possible
- Good adhesion to all metal surfaces
- Very smooth flow
- High coverage





RUST CONVERTER PRIMER 2 IN 1

art. 26060

400 ml



SUITABLE FOR DIY

- Rust is neutralised and chemically converted
- · Combats corrosion
- Suitable for the effective treatment and prevention of rust
- Offers long-term protection against corrosion and acts as a primer in one operation



MULTI-FILL PRIMER





∃ 400 ml

- For all metal surfaces and conventional plastics
- Filler and primer at the same time
- Short drying time
- Very good corrosion protection
- Excellent adhesion
- Recoat with water-and solventbased paints as well as 1K and 2K topcoats



ISOLATOR PRIMER







art. 26723



6 pcs

Quick drying

- Good adherence
- Easy to apply
- Improves adhesion for the top-coat
- Prevents old paint layers that are sensitive to solvents from reacting with a new paint

Warning! DO NOT DEGREASE the surface after applying the Isolator primer, as this is a 1 K, solvable product, the primer can be removed with a degreaser



ALUMINUM PRIMER





art. 26724

400 ml

n 6 pcs

- Fast-drying primer
- Excellent filling properties
- For use on aluminum and iron surfaces, galvanized sheet, copper and brass
- Recogtable with 1K and 2K topcoats.





SPRAY PUTTY



400 ml



- · High quality, fast drying filler for filling small irregularities in wooden metal and aluminium treated and untreated surfaces
- · Corrosion preventive
- · High coverage
- Fast drying



ENGINE PAINT



art. 26603



E 400 ml



(SUITABLE FOR DIY)

- Special heat-resistant silicone-based paint for the decoration and protection of engines
- · Very good adhesion
- Protects against moisture and dirt
- Also suitable for all other surfaces exposed to heat.



ZINC SPRAY UP TO 600 °C

art. 26711

킠 400 ml

6 pcs

- Cathodic corrosion protection for all blank metals
- Resistant against all forms of corrosion
- Heat resistant up to 600 °C
- Ideal for all outdoor metal constructions which are at a high risk from rust and corrosion



HEAT RESISTANT PAINT 650 °C

art. 26601

art. 26602

3 400 ml

♠ 6 pcs

SUITABLE FOR DIY

- High quality lacquer for treated and untreated surfaces which are subjected to very high temperatures
- Resistant to petrol, chemicals and weather influences
- · Excellent adhesion
- Temperature resistant up to 650 °C
- · High coverage and fast drying





ZINC-ALU SPRAY UP TO 300 °C

art. 26722

∃ 400 ml

6 pcs

- Coatable with air-drying acrylic, nitro-combi and synthetic lacquers
- Good flow
- · Rust-protection
- Heat-resistant up to 300 °C
- Resistant to temperature changes



PAINT FOR PLASTIC AND BUMPER

art. 26314

art. 26334

∃ 400 ml

6 pcs

SUITABLE FOR DIY

- High quality, fast drying plastic paint for treated and untreated surfaces of different plastic types
- Applied directly to the plastic without previous priming
- Scratch resistance and shock proof
- · Lasting colour and lasting gloss
- Excellent coverage



STRUCTURE SPRAY

art. 26340

這 500 ml

6 pcs

- Structural reproduction of damaged plastics and plastic parts
- Simple, time-saving application
- Should be overcoated
- Suitable for exterior plastic car parts e.g. door frames, mirrors, tuning parts and bumpers as well as interiors e.g. dashboard, centre console, door panels and boot lining



UNDERBODY PROTECTION PREMIUM

art. 38015

art. 38025

art. 38035

3 500 ml

♠ 6 pcs

SUITABLE FOR DIY

- Premium quality
- Excellent coverage
- Extra strong structure, underbody coating surface
- Over sprayable with all lacquer systems
- · Very good adhesion
- Resistant to weak acids, bases and salt





UNDERBODY PROTECTION

art. 37014

art. 37024

art. 37034

3 500 ml

6 pcs

(SUITABLE FOR DIY)

- Used for the protection of body sills, doors, wheel housing and other car body elements
- Protects against vibrations, sand, gravel, moister and salt
- · Forms an elastic coating
- Easy to apply
- · Contains anti-corrosive additives
- Possesses sound-insulating qualities



LEATHER PAINT SPRAY

art. 26801

400 ml

6 pcs

(SUITABLE FOR DIY)

- For real- and artificial leather (Vinyl)
- · Abrasion-resistant and elastic
- Excellent adhesion
- Fast drying
- Easy and safe application



PAINT FOR FABRICS & CARPETS





૩ 400 ml

6 pcs


SUITABLE FOR DIY

- High-quality acrylic coat
- · Simple spray application
- Easy restoration of worn out spots on textile car mats, carpets and convertible roofs
- · Hides stains and worn out spots



TRANSPARENT PAINT FOR GLASS & PLASTIC





art. 26351

3 400 ml

6 pcs

SUITABLE FOR DIY

- High-grade synthetic quality
- Transparent; the structure of the ground remains visible after coating
- · Weather-resistant
- Durable gloss
- Very good colour retention (lightproof, non-yellowing)
- Scratch-, shock- and impactresistant





BRAKE CALIPER PAINT





3 400 ml

6 pcs

SUITABLE FOR DIY

- · High-grade acrylic quality
- Quick-drying
- Durable gloss Weather-resistant
- · Hard surface, good elasticity
- Excellent adhesion
- Temperature-resistant: up to 80°C
- · Very good coverage



ACRYLIC SPRAY LACK



- art. 26104 wheelpaint
- art. 26204
- art. 26205 🕅 6 pcs
- art. 26206
- art. 26214
- art. 26406 clear coat matt
- **art. 26404** clear coat
- 🕖 art. 26414

- elpaint Used for quality spot repair

 3 500 ml
 - Guarantees highgrade adhesion to metals and plastics
 - Easy to apply
 - Fast drying
 - Easy treatment
 - Professional result

SUITABLE FOR DIY



CONTROL GUIDE COAT

art. 26051

⋽ 500 ml

6 pcs

- High quality black control lacquer as aid for sanding
- Easy to use
- Fast drying



SILICONE REMOVER

art. 26070

500 ml

6 pcs

(SUITABLE FOR DIY)

- Simple comfortable application
- Thorough removal of silicone, grease, oil, wax, dirt, tar, adhesive residues etc.
- · Mild, non-aggressive solvent
- Improves adhesion of subsequent coatings
- Extremely time saving
- · Desalination function





BITUMEN

art. 37100

3 500 ml

6 pcs

SUITABLE FOR DIY

- High quality protective material for the underside of vehicles
- Remains flexible
- Excellent adhesion
- Resistant to weak acids, bases and weather influences
- Excellent corrosion prevention
- Sound-absorbing



CONTACT ADHESIVE SPRAY



art. 26803

∃ 500 ml

6 pcs

(SUITABLE FOR DIY)

- Transparent contact adhesive based on synthetic rubber
- Suitable for vertical and horizontal bonding of various surfaces
- Can be used in car refinishing, household repairs, furniture restoration and applied arts
- Easy and quick to apply
- The spray rate can be controlled with an adjustable valve
- Jet spray ca. 10 cm wide



PAINT REMOVER

art. 26730

400 ml

6 pcs

(SUITABLE FOR DIY)

CHAMALEON

HOHLRAUM

- · Highly effective spray for removing old paint layers
- · Removes even the hardest paint layers
- Easy to apply
- Sticks to vertical surfaces due to gel like consistency
- · Works on e.g. wood, stone, metal, bricks, glass, concrete and asphalt



SPOT BLENDER

art. 26504

王 400 ml

6 pcs

- High quality mixture of solvents to level the transition at spot repairs
- Results in a smooth transition between the old and the new lacquer
- · Instantly visible result
- Directed jet spray



PRODUCT



art. 26740

3 500 ml

們 6 pcs

- Long term protection
- Easy to use due to extended spray nozzle
- Excellent adhesion
- Good coverage
- · Resistant to brine, weak acids and bases



CHROME EFFECT SPRAY



400 ml

价 6 pcs

- Metallic enamel paint based on special resins and nonleafing pigments
- Gives extra-gloss for the decoration of surfaces and objects for similar chrome appearance
- · Fast drying, good coverage and good adhesion
- Free from pigments made of heavy metals





AIR CONDITION CLEANER



art. 49743

3 500 ml

12 pcs

- Effective cleaning foam
- Optimizes the functioning of the air-conditioning
- Subtle scent
- Prevents malfunction



COCKPIT CLEAN & PROTECT



art. 49753

art. 49754

3 500 ml

6 pcs

- Silicone-free
- Excellent cleansing properties
- · Lasting silky gloss
- Antistatic
- Dirt repellent



AIR CON REFRESHER





art. 49712 art. 49713

3 150 ml

12 pcs

- Quickly and effectively eliminates unpleasant odours in the ventilation and air-conditioning system of the vehicle
- Can be used without removal of air filters or disassembly of the air conditioning system
- Leaves a fresh lavender or lemon scent



LEATHER CLEANER & CONDITIONER





∃ 500 ml

- Conditions and cleans leather and artificial leather
- · Reduces the adhesion of dirt
- User-friendly
- · Contains vaseline
- · Doesn't contain silicone



PROFESSIONAL AEROSOLS



PRE-FILL STANDARD

art. 25001

∄ 275 ml

- The spray contains a combination of compressed gas (175 ml) and solvents (100 ml) for subsequent filling
- Can be filled with up to 100 ml of almost any solvent-based product (paint, primer, clear coat) using special equipment
- Ideal for spot repairs or car body paint
- Excellent spraying



CHAMÄLEON GMBH

RUDOLF-DIESEL-STRAßE 8A 69115 HEIDELBERG, GERMANY

TEL.: +49-(0)6221/520440 **FAX:** +49-(0)6221/520449

E-MAIL: INFO@CHAMAELEON-PRODUKTION.DE

CHAMAELEON-PRODUKTION.DE



🚹 ChamaeleonGmbH 👩 Chamaeleon_gmbh 🕒 Chamäleon GmbH







