



CHAMÄLEON GMBH RUDOLF-DIESEL-STRASSE 8A 69115 HEIDELBERG GERMANY

 FON
 0049 (0) 6221 - 520 440

 FAX
 0049 (0) 6221 - 520 449

 MAIL
 INFO@CHAMAELEON-PRODUKTION.DE

 WBB
 WWW.CHAMAELEON-PRODUKTION.DE

## SAFETY DATA SHEET according to 1907/2006/EC, Article 31

Revision date: 08.09.2020

## <u>1- IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE</u> <u>COMPANY/UNDERTAKING</u>

Product details Trade name: Anti Silicone Additive Article number: 13611 Relevant identified uses of the substance or mixture and uses advised against: No further relevant information available. Intended use: Car refinishing Product/ Paint additive Manufacturer/Supplier: Chamäleon GmbH Rudolf-Diesel-Straße, 8a, 69115 Heidelberg -- Germany Further information obtainable from: Product Safety Department Information in case of emergency: + 49 70024112112 (CH)

# <u>2 – HAZARDS IDENTIFICATION</u>

Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS07

STOT SE 3 H336 May cause drowsiness or dizziness. Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms



Chamäleon GmbH- Safety Data Sheet





CHAMÄLEON GMBH RUDOLF-DIESEL-STRASSE 8A 69115 HEIDELBERG GERMANY

 FON
 0049 (0) 6221 - 520 440

 FAX
 0049 (0) 6221 - 520 449

 MAIL
 INFO@CHAMAELEON-PRODUKTION.DE

 WEB
 WWW.CHAMAELEON-PRODUKTION.DE

Signal word Warning Hazard-determining components of labelling: n-Butyl acetate **Hazard statements** H226 Flammable liquid and vapour. H336 May cause drowsiness or dizziness. **Precautionary statements** P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a POISON CENTER/doctor if you feel unwell. **Additional information:** EUH066 Repeated exposure may cause skin dryness or cracking. Other hazards **Results of PBT and vPvB assessment PBT:** Not applicable. vPvB: Not applicable.

# <u>3– COMPOSITION/INFORMATION ON INGREDIENTS</u>

## **Chemical characterization: Mixtures**

Description: Mixture of substances listed below with nonhazardous additions.

### Dangerous components:

CAS: 123-86-4	n-Butyl acetate	50-100%
EINECS: 204-658-1 Reg.nr.: 01-2119485493-29	Flam. Liq. 3, H226; STOT SE 3, H336	

Additional information: For the wording of the listed hazard phrases refer to section 16.

## <u> 4– FIRST - AID MEASURE</u>

**Description of first aid measures** 

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: If symptoms persist consult doctor.

**Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### Information for doctor:

Chamäleon GmbH- Safety Data Sheet





CHAMÄLEON GMBH RUDOLF-DIESEL-STRASSE 8A 69115 HEIDELBERG GERMANY

 FON
 0049 (0) 6221 - 520 440

 FAX
 0049 (0) 6221 - 520 449

 MAIL
 INFO@CHAMAELEON-PRODUKTION.DE

 WBB
 WWW.CHAMAELEON-PRODUKTION.DE

# <u>5– FIRE - FIGHTING MEASURE</u>

**Extinguishing media** 

Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
For safety reasons unsuitable extinguishing agents: Water with full jet
Special hazards arising from the substance or mixture
No further relevant information available.
Advice for firefighters
Protective equipment: No special measures required.

# 6- ACCIDENTAL RELEASE MEASURE

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Environmental precautions: Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Do not flush with water or aqueous cleansing agents.

## **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7-HANDLING AND STORAGE

Precautions for safe handling Use only in well ventilated areas.
Information about fire - and explosion protection:
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
Conditions for safe storage, including any incompatibilities
Storage:
Requirements to be met by storerooms and receptacles: No special requirements.
Information about storage in one common storage facility: Store away from foodstuffs.
Further information about storage conditions: Keep container tightly sealed.
Storage class: 3
Specific end use(s) No further relevant information available.

# <u>8 – EXPOSURE CONTROLS / PERSONAL PROTECTION</u>

Additional information about design of technical facilities: No further data; see item 7. Control parameters





CHAMÄLEON GMBH RUDOLF-DIESEL-STRASSE 8A 69115 HEIDELBERG GERMANY

 FON
 0049 (0) 6221 - 520 440

 FAX
 0049 (0) 6221 - 520 449

 MAIL
 INFO@CHAMAELEON-PRODUKTION.DE

 WEB
 WWW.CHAMAELEON-PRODUKTION.DE

Ingredie	ents with limit values that require monitoring at the workplace:	
123-86-4	In-Butyl acetate	
WEL	Short-term value: 966 mg/m <sup>3</sup> , 200 ppm Long-term value: 724 mg/m <sup>3</sup> , 150 ppm	

Additional information: The lists valid during the making were used as basis.

#### **Exposure controls**

### Personal protective equipment:

General protective and hygienic measures: Wash hands before breaks and at the end of work. Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

### **Protection of hands:**

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

### Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### Breakthrough time of glove material:

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### Eye protection:

Tightly sealed goggles

## <u>9 – PHYSICAL AND CHEMICAL PROPERTIES</u>

Information on basic physical and	chemical properties
General Information	
Appearance:	
Form:	Fluid
Colour:	According to product specification
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	-76 °C
Initial boiling point and boiling range	e: 124-128 °C
Flash point:	38 °C (DIN 53213)

Chamäleon GmbH- Safety Data Sheet





CHAMÄLEON GMBH RUDOLF-DIESEL-STRASSE 8A 69115 HEIDELBERG GERMANY

 FON
 0049 (0) 6221 - 520 440

 FAX
 0049 (0) 6221 - 520 449

 MAIL
 INFO@CHAMAELEON-PRODUKTION.DE

 WBW
 WWW.CHAMAELEON-PRODUKTION.DE

	WEB WWW.CHAMAELEON-PRODUKTIO
Flammability (solid, gas):	Not applicable.
Ignition temperature:	370 °C (DIN 51794)
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Danger of explosion:	<i>Product is not explosive. However, formation of explosive air/ vapour mixtures are possible.</i>
Explosion limits:	
Lower:	1.2 Vol %
Upper:	7.5 Vol %
Vapour pressure at 20 °C:	10.7 hPa
Density at 20 °C:	0.884 g/cm <sup>3</sup> (DIN 53217)
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with water	
at 20 °C:	5 g/l
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic at 20 °C:	12 s (DIN 53211/4)
Solvent content:	
VOC (EC)	97.07 %
Solids content (weight-%):	2.9 %
Other information	No further relevant information available.

## **10-STABILITY AND REACTIVITY**

Reactivity No further relevant information available.
Chemical stability
Thermal decomposition / conditions to be avoided:
No decomposition if used according to specifications.
Possibility of hazardous reactions No dangerous reactions known.
Conditions to avoid No further relevant information available.
Incompatible materials: No further relevant information available.
Hazardous decomposition products: Carbon monoxide.

# <u>11– TOXILOGICAL INFORMATION</u>

## Information on toxicological effects

Acute toxicity: Based on available data, the classification criteria are not met.





CHAMÄLEON GMBH RUDOLF-DIESEL-STRASSE 8A 69115 HEIDELBERG GERMANY

 FON
 0049 (0) 6221 - 520 440

 FAX
 0049 (0) 6221 - 520 449

 MAIL
 INFO@CHAMAELEON-PRODUKTION.DE

 WBB
 WWW.CHAMAELEON-PRODUKTION.DE

### LD/LC50 values relevant for classification:

123-86-4 n-Bu	tyl acetate	
Oral	LD50	13,100 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rabbit)

### **Primary irritant effect:**

Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/irritation Based on available data, the classification criteria are not met. Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

# CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

## **STOT-single exposure**

May cause drowsiness or dizziness.

**STOT-repeated exposure** Based on available data, the classification criteria are not met. **Aspiration hazard** Based on available data, the classification criteria are not met.

## <u>12 – ECOLOGICAL INFORMATION</u>

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

## Additional ecological information:

### **General notes:**

Water hazard class 1 (German Regulation): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## **Results of PBT and vPvB assessment**

**PBT:** Not applicable.

vPvB: Not applicable.

Other adverse effects No further relevant information available.

# <u>13– DISPOSAL CONSIDERATION</u>

## Waste treatment methods

## Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue	
08 01 11*	waste paint and varnish containing organic solvents or other dangerous substances





CHAMÄLEON GMBH RUDOLF-DIESEL-STRASSE 8A 69115 HEIDELBERG GERMANY

 FON
 0049 (0) 6221 - 520 440

 FAX
 0049 (0) 6221 - 520 449

 MAIL
 INFO@CHAMAELEON-PRODUKTION.DE

 WEB
 WWW.CHAMAELEON-PRODUKTION.DE

**Uncleaned packaging: Recommendation:** Disposal must be made according to official regulations.

### <u>14– TRANSPORT INFORMATION</u>

UN-Number ADR, IMDG, IATA

UN1263

3

3

III

No

UN proper shipping name ADR IMDG, IATA

UN1263 PAINT RELATED MATERIAL PAINT RELATED MATERIAL

Transport hazard class(es) ADR



Class Label

### IMDG, IATA



Class Label

**Packing group** ADR, IMDG, IATA

Environmental hazards: Marine pollutant:

**Special precautions for user** Danger code (Kemler): EMS Number: Stowage Category: Warning: Flammable liquids. 30 F-E,S-E A

3 (F1) Flammable liquids

3 Flammable liquids

Transport in bulk according to Annex II ofMarpol and the IBC CodeNot applicable.Transport/Additional information:Not applicable.





CHAMÄLEON GMBH RUDOLF-DIESEL-STRASSE 8A 69115 HEIDELBERG GERMANY

 FON
 0049 (0) 6221 - 520 440

 FAX
 0049 (0) 6221 - 520 449

 MAIL
 INFO@CHAMAELEON-PRODUKTION.DE

 WEB
 WWW.CHAMAELEON-PRODUKTION.DE

ADR	
Transport category	3
Tunnel restriction code	D/E
IMDG Limited quantities (LQ)	5L
UN "Model Regulation"	UN 1263 PAINT RELATED MATERIAL, 3, III

## <u>15 – REGULATORY INFORMATION</u>

Safety, health and environmental regulations/legislation specific for the substance or mixture.

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category P5c FLAMMABLE LIQUIDS

Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3 National regulations:

ClassShare in %NK50-100

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **<u>16-OTHER INFORMATION</u>**

**Relevant phrases** 

H226 Flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

# Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations

Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association





CHAMÄLEON GMBH RUDOLF-DIESEL-STRASSE 8A 69115 HEIDELBERG GERMANY

 FON
 0049 (0) 6221 - 520 440

 FAX
 0049 (0) 6221 - 520 449

 MAIL
 INFO@CHAMAELEON-PRODUKTION.DE

 WEB
 WWW.CHAMAELEON-PRODUKTION.DE

GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 3: Flammable liquids – Category 3
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

The information contained in these sheets is based on the present state of knowledge and current national legislation. It provides guidance on health, safety and environmental aspects and should not be construed as any guarantee of technical performance or suitability for particular applications.