

CHAMÄLEON GMBH RUDOLF-DIESEL-STRASSE 8A 69115 HEIDELBERG GERMANY

FON 0049 (0) 6221 - 520 440 FAX 0049 (0) 6221 - 520 449

MAIL INFO@CHAMAELEON-PRODUKTION.DE WEB WWW.CHAMAELEON-PRODUKTION.DE

Revision date: 02.10.2022

1

## TECHNICAL DATA SHEET

## AIR CON CLEANER PROFESSIONAL

Article number: 49743

Colour: no colour

**Intended use:** Cleaning agent/ cleaner

**General characteristics:** Clean and condition the air conditioning of the car with

Chamäleon Air con cleaner professional. The foam ensures that the air conditioning of the car is clean again. It provides a subtle scent as well as a lasting

prevention of odors.

Quality & properties:

• effective cleaning foam

• improves the functioning of the air-conditioning.

subtle scent

removes dust, bacteria and fungi

## Physical & chemical data:

Base: tenside solution
Surfaces: air conditioning

Minimum working temperature: 10 °C Maximum working temperature: 25 °C

Vapour pressure: 3500/20 bar Relative density: 0.967 g/ml Storage stability: 10 years

Content: 500 ml

## **Application process:**

Before use, carefully read the instructions on the packaging and act accordingly.

The aerosol should have room temperature.

Best processing temperature 10 to 25°C.

Before use, shake the aerosol.

Before treatment, switch off the engine and the electrical installations.

Apply the foam to the evaporator of the air conditioning by means of the enclosed adapter. Insert the adapter about 30 centimeters into the air inlet of the air conditioning and completely empty the can.



CHAMÄLEON GMBH RUDOLF-DIESEL-STRASSE 8A 69115 HEIDELBERG GERMANY

FON 0049 (0) 6221 - 520 440 FAX 0049 (0) 6221 - 520 449

MAIL INFO@CHAMAELEON-PRODUKTION.DE WEB WWW.CHAMAELEON-PRODUKTION.DE

The location of the air inlet differs per brand, consult your dealer.

After applying, do not switch on the engine or the electrical system of the car for at least half an hour.

During this half hour, the foam will break down and leave the system through the condensed water outlet as a fluid.

This release replaces all eventually earlier issued versions.

For additional information, not contained in this technical data sheet, please contact the supplier under: e-mail: info@chamaeleon-produktion.de

For safety information, please refer to the corresponding safety data sheet.